Volume 9
1984

TRANSITION METAL CHEMISTRY

An International Journal

Editorial Board

P. Chiusoli (Parma)
R. J. H. Clark (London)
R. D. Gillard (Cardiff)
M. Green (Bristol)
M. Green (York)
W. P. Griffith (London)
M. B. Hursthouse (London)
Y. Jeannin (Paris)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Birmingham)
L. Markó (Veszprém)
D. M. P. Mingos (Oxford)
U. Schubert (Würzburg)
B. L. Shaw (Leeds)
M. V. Twigg (Billingham)

Editor-in-Chief

Dr. D. R. M. Walton
School of Chemistry and Molecular Sciences
University of Sussex
Brighton BN1 9QJ, England
Tel. Brighton (0273) 60 67 55

Associate Editor

A. Garcia-Leigh (Brighton)

Published by

verlag chemie

Publishers of the
Gesellschaft Deutscher Chemiker

Verlag Chemie GmbH
P.O. Box 1260/1280
D-6940 Weinheim
Federal Republic of Germany

Tel. (0 62 01) 602-0
Telex 465516 vchwh d
Telefax (0 62 01) 602-328

For U.S.A., Canada, Mexico, Central and South America: "Transition Metal Chemistry" is published monthly by Verlag Chemie GmbH, Weinheim, Federal Republic of Germany. Annual subscription price is US $ 350.00 inclucing postage. Cancellation of subscriptions: The publisher must be notified not later than three months before the end of the calendar year. Second Class Postage paid at Jamaica, NY 11431. Printed in the Federal Republic of Germany. Airfreighted and mailed in the United States by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003. Subscribers in North America should place their orders through Verlag Chemie International, Inc., 303 N.W. 12th Avenue, Deerfield Beach, FL 33441-1705, U.S.A.

U.S. Postmasters: Send address changes for "Transition Metal Chemistry" to Verlag Chemie International, Inc., 303 N.W. 12th Avenue, Deerfield Beach FL 33441-1705.

© Verlag Chemie GmbH, D-6940 Weinheim. 1984. – Printed in the Federal Republic of Germany by Schwetzinger Verlagsdruckerei GmbH, D-6830 Schwetzingen. – All rights reserved (including those of translation into foreign languages). Subscription Price: Volume 9 (1984) DM 584.– (plus postage); Single copies: DM 58.–; Editor-in-Chief: Dr. D. R. M. Walton, Univ. of Sussex, School of Molecular Sciences, Brighton BN1 9QJ, England; Advertising Manager; R. J. Roth, D-6940 Weinheim; Published by Verlag Chemie GmbH, (Managing Directors: Prof. Dr. Helmut Grünewald and Hans Dirk Köhler), Pappelallee 3, P. O. Box 1260/1280, D-6940 Weinheim, Federal Republic of Germany. Transition Metal Chemistry does not publish book reviews; books submitted for review will not be returned.
Valid for users in the U.S.A.: The appearance of the code at the bottom of the first page of an article in this journal (serial) indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated percopy fee through the Copyright Clearance Center, Inc., for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purpose, for creating new collective work, or for resale. For copying from back volumes of this journal see "Permissions to Photo-Copy: Publisher's Fee List" of the CCC.

Author Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Abdel-Khalek, A. A. Kinetics of the oxidation of diaqua(nitrilotriacetato)cobaltate(II) in water–ethanol mixtures. 439

Abou-Sekkina, M. M. Metal chelates of heterocyclic nitrogen containing ketones. XV. Five-coordinate nickel(II) and copper(II) complexes with a sulfur–nitrogen tridentate Schiff base. 372

Abu-Gharib, E. E. A. Transfer chemical potentials for cobalt(III) and chromium(III) complexes from water into aqueous methanol; their relevance to reactivity trends for cobalt(III)–chloride aquation. 193

Abu-Gharib, E. E. A. Solubilities of salts of cobalt(III), chromium(III), and iron(II) complexes in aqueous methanol; transfer chemical potentials of anions. 234

Abu-Gharib, E. E. A. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Abwao-Konya, J. Kinetics of substitution in two water soluble cobalt(III)–porphyrins. 270

Adhikary, B. E.p.r. spectra and bonding parameters of copper(II) complexes of 2-methyl-4,6-diacylphenols, of the dibenzoyl analogs and of some of their derivatives. 454

Al-Shatti, N. I. Kinetics of the oxidation of iodide by copper(III)–imine–oxime complexes. 31

Alvarez, S. Carbon–nitrogen stretching force constants in cyano complexes: general trends for polycyano, mixed-ligand and cyano-bridged complexes. 123

Alvarez-Valdes, A. Synthesis and characterization of complexes of palladium(II) with 2-aminopyridine. 52

Ang, K. P. Synthesis and characterization of copper(II), nickel(II) and palladium(II) complexes of some Schiff bases of dehydroacetic acid. 390

Arguero, A. Benzenocarbothioamide complexes of IIB metal halides. 273

Baker, A. T. Lanthanide chelates of fluorinated β-diketones. Part II. Magnetic moments and electronic spectra of lanthanide chelates of four fluorinated β-diketones and the crystal structure of $[Er(m\text{-}MeC_6H_4CO{:}CHCOF_3)_3(H_2O)_2].H_2O$. 423

Balt, S. Base hydrolysis of mono-alkyl-substituted chloropentaamminecobalt(III) complexes. 224

Bandoli, G. Synthesis and x-ray crystal structure of tetraethylammonium bis[1,2-di(carbomethoxy)ethane-1,2-dithiolato]oxotechnetate(V). 127

Banerjee, P. Kinetics and mechanism of the reactions of cis-tetraaminediaquacobalt(III) with nitrite, azide and salicylate ions in aqueous acidic media. 68

Barni, E. Cobalt(II) and nickel(II) chloride complexes with some 2-(4'-methyl-2'-pyridyl and 2'- or 8'-quinolyl)benz-X-azoles. 351

Barrera, H. Reaction of carbon disulfide with bis(γ-mercaptopropylamine)nickel(II). 255

Barrera, H. Cobalt(III) complexes with aminothiolates. 342

Basu, D. K. Copper(II) complexes of isobutyl methyl ketone semicarbazone. 401

Beltran, D. Order and disorder in mixed metal linear chains: the homo and heterobimetallic EDTA $(M(H_2O)_4O_IO_{II})[M'(EDTA)].6H_2O$ complexes (M = Mg, Mn, Co, Zn and Ni; M' = Co, Ni, Cu and Zn). 184

Benedetti, A. Coordination behavior of 2-halo-1,3,4-thiadiazoles towards cobalt(II) and nickel(II). 457

Bennett, D. W. Structural and spectroscopic comparison of methylaminophenylcarbenepentacarbonyltungsten(0) with tungsten carbonyl carbene complexes lacking a heteroatom. 43

Bermejo, M. J. Carbon–nitrogen stretching force constants in cyano complexes: general trends for polycyano, mixed-ligand and cyano-bridged complexes. 123

Bhattacharya, P. Kinetics and mechanism of the reactions of cis-tetraaminediaquacobalt(III) with nitrite, azide and salicylate ions in aqueous acidic media. 68

Bhattacharyya, R. A very simple synthesis of potassium pentacyanonitrosylrhenate dihydrate $(K_3[Re(NO)(CN)_5].2H_2O)$ directly from perrhenate(VII): existence of two structural isomers in aqueous medium as indicated by carbon-13 NMR spectroscopy. 281

Bhushan, B. Bis[N-(chlorophenyl)dithiocarbamato] complexes of cobalt(II), nickel(II), palladium(II) and platinum(II). 250

Blandamer, M. J. The reaction of nickel(II) with 2,2'-bipyridyl in methanol- and in dimethyl sulfoxide–water mixtures: solvent effects on reactivity. 3

Blandamer, M. J. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163

Blandamer, M. J. Transfer chemical potentials for cobalt(III) and chromium(III) complexes from water into aqueous methanol; their relevance to reactivity trends for cobalt(III)–chloride aquation. 193

Blandamer, M. J. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Blandamer, M. J. Kinetics of reactions of the tris(2,2'-bi(4H-5,6-dihydrothiazine))iron(II) cation. 339

Blandamer, M. J. Initial state and transition state contributions to solvent effects on rate constants for racemization and dissociation of the $[Fe(phen)_3]^{2+}$ cation in DMSO–water mixtures. 347

Boeyens, J. C. A. The mono- and bis(trichloroacetic acid)-solvates of ferrocenium trichloroacetate. 12

Boeyens, J. C. A. The mono- and bis-(trichloroacetic acid)-solvates of ferricenium trichloroacetate (correction). 202

Bolte, M. Spectroscopic, crystallographic and photochemical properties of a trans-cinnamonitrile–copper(I) chloride adduct. 461

Bonomo, R. P. The frozen-solution EPR spectrum of the bis(2,2':6',2"-terpyridyl)copper(II) cation. 308

Bora, T. Coordination compounds of imidazoles with rhodium halides. 88

Borowski, A. F. Structure and properties of anthranilato- and N-phenylanthranilatorhodium(I) complexes with cis,cis-1,5-cyclooctadiene. 109

Brunet, R. M. Synthesis and characterization of 1-methyl-4-mercaptopiperidine complexes of nickel(II), palladium(II) and platinum(II). 345

Bugarcic, Z. D. Hydrolysis of the palladium(II) ion in a sodium chloride medium. 173

Burgess, J. The reaction of nickel(II) with 2,2'-bipyridyl in methanol- and in dimethyl sulfoxide–water mixtures: solvent effects on reactivity. 3

Burgess, J. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163

Burgess, J. Transfer chemical potentials for cobalt(III) and chromium(III) complexes from water into aqueous methanol; their relevance to reactivity trends for cobalt(III)–chloride aquation. 193

Burgess, J. Solubilities of salts of cobalt(III), chromium(III), and iron(II) complexes in aqueous methanol; transfer chemical potentials of anions. 234

Burgess, J. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Burgess, J. Kinetics of reactions of the tris(2,2'-bi(4H-5,6-dihydrothiazine))iron(II) cation. 339

Burgess, J. Initial state and transition state contributions to solvent effects on rate constants for racemization and dissociation of the $[Fe(phen)_3]^{2+}$ cation in DMSO–water mixtures. 347

Calvet, J. Synthesis and phosphorus–31 NMR studies of neutral and cationic compounds with platinum–mercury bonds. 208

Cappelli, A. Kinetics of substitution in two water soluble cobalt(III)–porphyrins. 270

Carkovic, I. Hydrogen transfer reactions catalyzed by neutral rhodium(I) Schiff base complexes. 106

Casabo, J. Dinuclear complexes with a μ-cyano ligand. Part IX. Synthesis, characterization and magnetic studies of several derivatives of hexacyanochromate(3-) and pentacyanonitrosylchromate(3-). 407

Casabo, J. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroaminechromate(III) anions. Crystal structure of the $(en\text{-}H_2)[CrF_4(en)]Cl$. 469

Casellato, U. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldehyde (R = Me or p-MeC_6H_4; PR'$_3$ = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crystal structure of $[ReCl_2(p\text{-}MeC_6H_4N)(CHOC_6H_4O)PPh_3]$. 299

Casellato, U. Rhodium(III) halide complexes with sulfur donors. The crystal structure of mer-tris(O-ethylthiocarbamate)trichlororhodium(III) acetone (1/1). 419

Castello, M. Phenolate complexes of iron(III) in dimethyl sulfoxide solution. 294

Castillo, M. Synthesis and spectral properties of new complexes between glycine and titanium(III), vanadium(III), chromium(III), iron(III), cobalt(II), nickel(II) and copper(II). 268

Castineiras, A. Benzenocarbothioamide complexes of IIB metal halides. 273

Cavaleiro, A. M. V. Tungsten(VI) and mixed tungsten, molybdenum(VI) complexes of tartaric acid. 81

Cavaleiro, A. M. V. S. V. NMR studies of complexes of molybdenum(VI) with tartaric acid in aqueous solution. 62

Celso, C. Manganese to zinc complexes with rac- and meso-1,2-bis(phenylsulfinyl)ethane. 158

Chandra, S. Cobalt(II) and nickel(II) complexes of some nitrogen–oxygen and nitrogen–sulfur ligands. 1

Chandra, S. Copper(II) complexes of isobutyl methyl ketone semicarbazone. 401

Cheema, H. S. Chemistry of iron complexes. Part V. Electron spin resonance spectra of some iron(III) complexes and x-ray diffraction (powder) data of iron(II) complexes employing tertiary phosphine/arsine oxides. 119

Cheema, H. S. X-ray diffraction (powder), ESR and other spectral studies of tris[methylenebis(diphenylphosphine oxide)]iron(III) perchlorate. 330

Chiusoli, G. P. Different chemoselectivities in cobalt(0)- and cobalt(I)-catalyzed cyclocotrimerization of carbon–carbon and carbon–nitrogen triple bonds. 360

Cifuentes, P. Rhodium(I) diolefin complexes with polycyclic π-arene ligands. Synthesis of bimetallic complexes with diphenylmethane as bridging ligand. 312

Claver, C. Mono- and dinuclear cationic rhodium(I) and iridium(I) complexes with sulfur donor and Group VA ligands. 83

Claver, C. Carbonyl cationic rhodium(I) and iridium(I) complexes with sulfur donor and triphenylphosphine ligands. 237

Cope, S. D. Initial state and transition state contributions to solvent effects on rate constants for racemization and dissociation of the $[Fe(phen)_3]^{2+}$ cation in DMSO–water mixtures. 347

Cruse, R. W. Structure and properties of a monomeric copper(II) complex with a N_3 tridentate unit containing 2-thio-1-methylimidazole. 404

Cruz-Garritz, D. Reactions and molecular structure of di-μ-pentafluorothiophenolatobis(1,5-cyclooctadiene)dirhodium(I). 284

Cuadrado, I. Reactions of TiX_4 and vanadyl chloride ($VOCl_3$) with phosphorus–sulfur (P:S) ligands. 96

Dahlstrom, P. L. Structure and properties of a monomeric copper(II) complex with a N_3 tridentate unit containing 2-thio-1-methylimidazole. 404

Daniele, P. G. Ionic strength dependence of formation constants. Part 4. Potentiometric study of the system copper(2+)–nickel(2+)–citrate. 385

De Benedetti, P. G. Coordination behavior of 2-halo-1,3,4-thiadiazoles towards cobalt(II) and nickel(II). 457

Desseyn, H. O. Determination of the crystal structure and the spectroscopic data of bis(N,N'-dicyclopentyldithiooxamide)palladium. 213

Devoto, G. Cobalt(II) and nickel(II) chloride complexes with some 2-(4'-methyl-2'-pyridyl and 2'- or 8'-quinolyl)benz-X-azoles. 351

Devoto, G. Copper(II) chloride complexes of 2-(4'-methyl-2'-pyridyl)benzoxazole, their sulfur and nitrogen analogs and 2-(4'-methyl-2'[or 8']-quinolyl)benzoxazoles. 362

Diaz, C. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroaminechromate(III) anions. Crystal structure of the $(en\text{-}H_2)[CrF_4(en)]Cl$. 469

Digman, T. Kinetics of reactions of the tris(2,2'-bi(4H-5,6-dihydrothiazine))iron(II) cation. 339

Digman, T. Initial state and transition state contributions to solvent effects on rate constants for racemization and dissociation of the $[Fe(phen)_3]^{2+}$ cation in DMSO–water mixtures. 347

Dilworth, J. R. The structure of $[Mo(NHNHCO_2Me)(N_2CO_2Me)(S_2CNMe_2)_2]$, a complex with a side-on hydrazido(1-)-ligand. 39

Dolcetti, G. Oxidative addition of tetrabromo-1,2-benzoquinone to trans-carbonylchlorobis(triphenylphosphine)rhodium and trans-carbonyliodobis(triphenylphosphine)rhodium. 54

Dommisse, R. A. Determination of the crystal structure and the spectroscopic data of bis(N,N'-dicyclopentyldithiooxamide)palladium. 213

Duatti, A. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldehyde (R = Me or p-MeC_6H_4; PR'$_3$ = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crystal structure of $[ReCl_2(p\text{-}MeC_6H_4N)(CHOC_6H_4O)PPh_3]$. 299

Duce, P. P. The reaction of nickel(II) with 2,2'–bipyridyl in methanol– and in dimethyl sulfoxide–water mixtures: solvent effects on reactivity. 3

Duce, P. P. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163

Ekemenzie, P. I. Studies on nickel(II) complexes of some poly(1–pyrazolyl)alkane ligands. 91

El–Bayoumi, M. A. Intramolecular energy–transfer in a europium(III) chelate with salicylidene–valinate Schiff base. 335

El–Dissouky, A. Metal chelates of heterocyclic nitrogen containing ketones. XIII. Cobalt(II), nickel(II) and palladium(II) complexes of 2–picolyl and 2–lutidyl methyl ketones. 23

El–Dissouky, A. Metal chelates of heterocyclic nitrogen containing ketones, Part IX. Magnetic and spectral studies of the dimeric copper(II) complex of 2–picolyl methyl ketone semicarbazone and its ligation by solvent molecules. 112

El–Dissouky, A. Metal chelates of heterocyclic nitrogen–containing ketones, X. Synthesis and characterization of platinum(II) complexes of syn–2–picolyl phenyl and syn–2–picolyl methyl ketoximes. The phenomena of isomerism. 327

El–Dissouky, A. Metal chelates of heterocyclic nitrogen containing ketones. XV. Five–coordinate nickel(II) and copper(II) complexes with a sulfur–nitrogen tridentate Schiff base. 372

El–Kersh, M. Metal chelates of heterocyclic nitrogen containing ketones. XV. Five–coordinate nickel(II) and copper(II) complexes with a sulfur–nitrogen tridentate Schiff base. 372

Elsemongy, M. M. Kinetics of the oxidation of diaqua(nitrilotriacetato)cobaltate(II) in water–ethanol mixtures. 439

El–Sonbati, A. Z. Metal chelates of heterocyclic nitrogen containing ketones. XV. Five–coordinate nickel(II) and copper(II) complexes with a sulfur–nitrogen tridentate Schiff base. 372

El–Yamani, I. S. Studies on extraction of iron(III) and cobalt(II) chlorides by quaternary ammonium halides. 199

Erre, L. S. Cobalt(II) and nickel(II) chloride complexes with some 2–(4'–methyl–2'–pyridyl and 2'– or 8'–quinolyl)benz–X–azoles. 351

Ertem, G. N–Butyl–, N–isobutyl– and N–sec–butyl–2–picolinamine N–oxide complexes derived from copper(II) salts of polyatomic anions. 412

Escriva, E. Order and disorder in mixed metal linear chains: the homo and heterobimetallic EDTA $M(H_2O)_4O_IO_{II}[M'(EDTA)].6H_2O$ complexes (M = Mg, Mn, Co, Zn and Ni; M' = Co, Ni, Cu and Zn). 184

Escuer, A. Dinuclear complexes with a μ–cyano ligand. Part VIII. Synthesis and characterization of several derivatives of cis–$[CrX(H_2O)(en)_2]^{2+}$ (X = Cl or Br). 287

Espinet, P. Neutral and anionic pentafluorophenyl complexes of palladium and platinum(II) and their reactivity towards amines. 277

Fabretti, A. C. Copper(II) complexes of 2–chloro– and 2–bromo–1,3,4–thiadiazoles. 190

Fabretti, A. C. Coordination behavior of 2–halo–1,3,4–thiadiazoles towards cobalt(II) and nickel(II). 457

Faraglia, G. Rhodium(III) halide complexes with sulfur donors. The crystal structure of mer–tris(O–ethylthiocarbamate)trichlororhodium(III) acetone (1/1). 419

Faus, J. Phenolate complexes of iron(III) in dimethyl sulfoxide solution. 294

Ferrer, M. Kinetics of the anation reaction of pentaammineaquacobalt(III) by phosphorous acid/hydrogenphosphite. 395

Filgueiras, C. A. L. Manganese to zinc complexes with rac– and meso–1,2–bis(phenylsulfinyl)ethane. 158

Font–Altaba, M. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon–13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)–μ–cyano–pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57

Font–Altaba, M. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroaminechromate(III) anions. Crystal structure of the (en–H_2)[CrF_4(en)]Cl. 469

Fornies, J. Neutral and anionic pentafluorophenyl complexes of palladium and platinum(II) and their reactivity towards amines. 277

Forsellini, E. Rhodium(III) halide complexes with sulfur donors. The crystal structure of mer–tris(O–ethylthiocarbamate)trichlororhodium(III) acetone (1/1). 419

Franchini, G. Copper(II) complexes of 2–chloro– and 2–bromo–1,3,4–thiadiazoles. 190

Franchini, G. Coordination behavior of 2–halo–1,3,4–thiadiazoles towards cobalt(II) and nickel(II). 457

Fuertes, A. Order and disorder in mixed metal linear chains: the homo and heterobimetallic EDTA $M(H_2O)_4O_IO_{II}[M'(EDTA)].6H_2O$ complexes (M = Mg, Mn, Co, Zn and Ni; M' = Co, Ni, Cu and Zn). 184

Gaete, W. Synthesis and characterization of 1–methyl–4–mercaptopiperidine complexes of nickel(II), palladium(II) and platinum(II). 345

Gaete, W. Iron(III) complexes with N–methyl–4–mercaptopiperidine. 355

Gallardo, M. Iron(III) complexes with N–methyl–4–mercaptopiperidine. 355

Gamelkoorn, H. J. Base hydrolysis of mono–alkyl–substituted chloropentaamminecobalt(III) complexes. 224

Ganguli, J. N. Coordination compounds of imidazoles with rhodium halides. 88

Ganz, R. Rhodium(I) diolefin complexes with polycyclic π–arene ligands. Synthesis of bimetallic complexes with diphenylmethane as bridging ligand. 312

Garcia–Vazquez, J. A. Complexes of divalent nickel and copper with the Schiff base derived from 2–(2–aminophenyl)benzimidazole and benzaldehyde. 318

Gatti, C. Coordination behavior of 2–halo–1,3,4–thiadiazoles towards cobalt(II) and nickel(II). 457

Ghedini, M. Oxidative addition of tetrabromo–1,2–benzoquinone to trans–carbonylchlorobis(triphenylphosphine)rhodium and trans–carbonyliodobis(triphenylphosphine)rhodium. 54

Ghosh, M. C. Kinetics and mechanism of the reactions of cis–tetraaminediaquacobalt(III) with nitrite, azide and salicylate ions in aqueous acidic media. 68

Ghosh, P. Interaction of divalent metal ions with uracil. III. Complexes of manganese(II), iron(II), cobalt(II), nickel(II), and copper(II) with uracil acting as bidentate ligand. 46

Gil, V. M. S. NMR studies of complexes of molybdenum(VI) with tartaric acid in aqueous solution. 62

Gillard, R. D. A reaction of Tipper's compound. 293

Gillard, R. D. NMR studies of complexes of molybdenum(VI) with tartaric acid in aqueous solution. 62

Gillard, R. D. Tungsten(VI) and mixed tungsten, molybdenum(VI) complexes of tartaric acid. 81

Giovannitti, B. Oxidative addition of tetrabromo–1,2–benzoquinone to trans–carbonylchlorobis(triphenylphosphine)rhodium and trans–carbonyliodobis(triphenylphosphine)rhodium. 54

Gomez–Vaamonde, C. Synthesis and characterization of complexes of palladium(II) with 2–aminopyridine. 52

Gonzalez–Duarte, P. Synthesis and characterization of 1–methyl–4–mercaptopiperidine complexes of nickel(II), palladium(II) and platinum(II). 345

Gosal, N. The reaction of nickel(II) with 2,2'–bipyridyl in methanol– and in dimethyl sulfoxide–water mixtures: solvent effects on reactivity. 3

Gosal, N. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Gouzerh, P. Synthesis, structure and electrochemical properties of a dioxomolybdenum(VI) complex with a ferrocene–containing ligand. 482

Grancicova, O. Salt and medium effects in the aquation of cis–amminebromobis(ethylenediamine)cobalt(III) ion. 322

Granell, J. Reactivity of dimetalated benzalazines. 203

Graziani, R. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldehyde (R = Me or p–MeC_6H_4; PR'$_3$ = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crystal structure of $[ReCl_2(p\text{–}MeC_6H_4N)(CHOC_6H_4O)PPh_3]$. 299

Graziani, R. Rhodium(III) halide complexes with sulfur donors. The crystal structure of mer–tris(O–ethylthiocarbamate)trichlororhodium(III) acetone (1/1). 419

Griffith, W. P. An eight coordinate cyanide hydride complex of molybdenum: $K_4[MoH(CN)_7].2H_2O$. 40

Guardado, P. The reaction of nickel(II) with 2,2'–bipyridyl in methanol– and in dimethyl sulfoxide–water mixtures: solvent effects on reactivity. 3

Guardado, P. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Gupta, S. Benzoyl hydrazone derivatives of niobium(V) and tantalum(V) ethoxides. 379

Guy, J. T. Jr. Structural and spectroscopic comparison of methylaminophenylcarbenepentacarbonyltungsten(0) with tungsten carbonyl carbene complexes lacking a heteroatom. 43

Hadjiliadis, N. Complexes of aminobenzylamines. Part II. Complexes of o–aminobenzylamine with palladium(II) and platinum(II). 77

Hamer, A. M. Lanthanide chelates of fluorinated β–diketones. Part II. Magnetic moments and electronic spectra of lanthanide chelates of four fluorinated β–diketones and the crystal structure of $[Er(m\text{–}MeC_6H_4CO{:}CHCOF_3)_3(H_2O)_2].H_2O$. 423

Hamer, A. M. Lanthanide chelates of fluorinated β–diketones. Part III. Mass spectra of lanthanide chelates of five fluorinated β–diketones. 433

Harrison, M. R. Co–ordination compounds of diacetyldihydrazone and diacetylbis(monomethylhydrazone). 144

Hayes, J. C. Structure and properties of a monomeric copper(II) complex with a N_3 tridentate unit containing 2–thio–1–methylimidazole. 404

Hayes, J. C. Synthesis and structure of a mono–chloro bridged copper(II) dimer containing a linear Cu^{II}–Cl–Cu^{II} bridge. 405

Hofmans, H. C. Determination of the crystal structure and the spectroscopic data of bis(N,N'–dicyclopentyldithiooxamide)palladium. 213

Holba, V. Salt and medium effects in the aquation of cis–amminebromobis(ethylenediamine)cobalt(III) ion. 322

Huang, S. M. The formation of cobalt(II) halide complexes containing neutral bidentate ligands. 220

Hubbard, C. D. Transfer chemical potentials for iron(II)–diimine complexes from water into aqueous methanol. 306

Hubert–Pfalzgraf, L. G. Synthesis and characterization of dinuclear niobium(IV), niobium(III) and tantalum(III) chloride complexes with strongly basic phosphines: PCy_3 and P(tert–Bu)$_3$. 130

Hussain, A. N. Iron(II), cobalt(III), nickel(II) and copper(II) chelates of furan and thiophene azo–oximes. 18

Hussain, M. S. Chloro(N–ethyl–1,3–imidazoline–2–thione)gold(I): spectroscopic studies and x–ray structure. 398

Hussein, M. A. Kinetics of the oxidation of iodide by copper(III)–imine–oxime complexes. 31

Hutchinson, J. P. Synthesis and structure of a mono–chloro bridged copper(II) dimer containing a linear Cu^{II}–Cl–Cu^{II} bridge. 405

Ibrahim, K. M. Bivalent metal complexes of p–methyl– and p–methoxybenzoylhydrazone oximes. 243

Isab, A. A. Chloro(N–ethyl–1,3–imidazolidine–2–thione)gold(I): spectroscopic studies and x–ray structure. 398

Isalgue, A. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon–13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)–μ–cyano–pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57

Ishida, T. Cobalt(III), nickel(II), and copper(II) complexes of 1–thia (or oxa)–4,7–diazacyclononane and related mixed–ligand cobalt(III) complexes. 367

Ismail, K. Z. Intramolecular energy–transfer in a europium(III) chelate with salicylidene–valinate Schiff base. 335

Jacobs, L. Kinetics of substitution in two water soluble cobalt(III)–porphyrins. 270

Jagannatha, S. S. Structural studies of palladium complexes with ligands containing the amide group. 103

Jagannathan, R. Preparation and Moessbauer studies of tetraaquabis[maleato(1–)]iron(II). 73

Jaitner, P. Photoinduced synthesis of the six–membered heterocyclic ring system, $[M(CO)_4PO(OEt)_2]_2$ (M = Mn or Re). 325

Jal, B. B. Complexes of 2–(2–hydroxyacetophenone)imino–5–(p–anisyl)–1,3,4–oxadiazole with some bivalent metal ions. 8

Janardhan, R. Palladium(II) complexes of N–alkylphenothiazines. 197

Jaworska–Augustyniak, A. Complex compounds of ferrocene in a biacceptor system. 303

Jayachandran, H. L. Synthesis and characterization of copper(II), nickel(II) and palladium(II) complexes of some Schiff bases of dehydroacetic acid. 390

Jeannin, Y. Synthesis, structure and electrochemical properties of a dioxomolybdenum(VI) complex with a ferrocene–containing ligand. 482

Jensen, H. P. Structure of copper(II) complexes with Schiff base compartmental ligands. 121

Julia, J. M. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon–13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)–μ–cyano–pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57

Kalbas, C. Hydrido silyl complexes. Part III. Steric effects of phosphorus ligands on the preparation of chiral hydrido silyl complexes of manganese. 161

Kapoor, P. N. Synthesis and some properties of furylacrylates of aluminum(III) and titanium(IV). 35

Kapoor, R. N. Benzoyl hydrazone derivatives of niobium(V) and tantalum(V) ethoxides. 379

Karlin, K. D. Structure and properties of a monomeric copper(II) complex with a N_3 tridentate unit containing 2–thio–1–methylimidazole. 404

Karlin, K. D. Synthesis and structure of a mono–chloro bridged copper(II) dimer containing a linear Cu^{II}–Cl–Cu^{II} bridge. 405

Kaushik, N. K. Bis[N–(chlorophenyl)dithiocarbamato] complexes of cobalt(II), nickel(II), palladium(II) and platinum(II). 250

Keshavan, B. Palladium(II) complexes of N–alkylphenothiazines. 197

Kim, C. S. Kinetic studies on the dimerization of molybdenum(V) in acid media and the crystal structure of $K[MoOCl_4(OH_2)].H_2O$. 260

Kitamura, Y. Kinetics and mechanism of an unique hydrolysis reaction of (hexafluoroacetylacetonato)bis(ethylenediamine)cobalt(III) in aqueous solution. 257

Kovala–Demertzi, D. Complexes of aminobenzylamines. Part II. Complexes of o–aminobenzylamine with palladium(II) and platinum(II). 77

Kraft, G. Hydrido silyl complexes. Part III. Steric effects of phosphorus ligands on the preparation of chiral hydrido silyl complexes of manganese. 161

Krishnamurthy, M. Kinetics of substitution in two water soluble cobalt(III)–porphyrins. 270

Lalinde, E. Neutral and anionic pentafluorophenyl complexes of palladium and platinum(II) and their reactivity towards amines. 277

Latorre, J. Synthesis, characterization and voltammetric study of $(Bu_4N)_2[Mo_2Br_6]$. Oxidation–reduction mechanism of related compounds. 447

Leal, J. Reactions and molecular structure of di–μ–pentafluorothiophenolatobis(1,5–cyclooctadiene)dirhodium(I). 284

enstra, A. T. H. Determination of the crystal structure and the spectroscopic data of bis(N,=N'–dicyclopentyldithiooxamide)palladium. 213

ivingstone, S. E. Lanthanide chelates of fluori=nated β–diketones. Part II. Magnetic moments and electronic spectra of lanthanide chelates of four fluorinated β–diketones and the crystal structure of $[Er(m\text{–}MeC_6H_4CO{:}CHCOF_3)_3{=}(H_2O)_2].H_2O$. 423

ivingstone, S. E. Lanthanide chelates of fluori=nated β–diketones. Part III. Mass spectra of lanthanide chelates of five fluorinated β–dike=tones. 433

obana, T. S. Chemistry of iron complexes. Part V. Electron spin resonance spectra of some iron(III) complexes and x–ray diffraction (pow=der) data of iron(II) complexes employing terti=ary phosphine/arsine oxides. 119

obana, T. S. X–ray diffraction (powder), ESR and other spectral studies of tris[methylenebis=(diphenylphosphine oxide)]iron(III) perchlorate. 330

oonat, R. The mono– and bis(trichloroacetic acid)–solvates of ferrocenium trichloroacetate. 12

oonat, R. The mono– and bis–(trichloroacetic acid)–solvates of ferricenium trichloroacetate (correction). 202

opez, C. Carbon–nitrogen stretching force con=stants in cyano complexes: general trends for polycyano, mixed–ligand and cyano–bridged complexes. 123

IcCleverty, J. A. TMC literature highlights – 1. 443

IcCleverty, J. A. Aspects of the inorganic chemis=try of rubber vulcanization. Part 5. Complexes of zinc, nickel and cobalt derived from 2–mer=captobenzothiazole and its 5–ethoxy– and ethyl–derivatives. 139

Iac–Coll, C. R. P. Base hydrolysis of mono–al=kyl–substituted chloropentaamminecobalt(III) complexes. 224

IcKown, J. W. Structure and properties of a monomeric copper(II) complex with a N_3 triden=tate unit containing 2–thio–1–methylimidazole. 404

IcKown, J. W. Synthesis and structure of a mono–chloro bridged copper(II) dimer containing a linear Cu^{II}–Cl–Cu^{II} bridge. 405

lagon, L. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldeh=yde (R = Me or p–MeC_6H_4; PR'_3 = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crys=tal structure of $[ReCl_2(p\text{–}MeC_6H_4N){=}(CHOC_6H_4O)PPh_3]$. 299

lahapatra, B. B. Polymetallic complexes: Part V. ONNO tetradentate N,N'–bis(acetoacetani=lide)–1,3–diaminopropane complexes of cobalt=(II), copper(II) and zinc(II). 117

lahapatra, B. B. Polymetallic complexes: Part VI. Schiff base complexes of cobalt(II), copper=(II), nickel(II), zinc(II), cadmium(II) and mercu=ry(II). 280

lahapatra, B. B. Polymetallic complexes: part VII. Bis(benzoin)thiocarbohydrazide complexes of cobalt(II), copper(II) and zinc(II). 476

laiti, S. Kinetics of oxidation of neutralized gly=colic acid by hexachloroiridate(IV). 416

landal, S. K. E.p.r. spectra and bonding parame=ters of copper(II) complexes of 2–methyl–4,6–di=acylphenols, of the dibenzoyl analogs and of some of their derivatives. 454

landal, S. K. Kinetics of oxidation of neutralized glycolic acid by hexachloroiridate(IV). 416

larchi, A. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldeh=yde (R = Me or p–MeC_6H_4; PR'_3 = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crys=tal structure of $[ReCl_2(p\text{–}MeC_6H_4N){=}(CHOC_6H_4O)PPh_3]$. 299

larechal, V. Synthesis, structure and electro=chemical properties of a dioxomolybdenum(VI) complex with a ferrocene–containing ligand. 482

larko, L. Iron(II) carbonyl complexes containing xanthate, dithiocarbamate or dithiophosphate ligands. 10

lartinez, M. Hydrogen transfer reactions cata=lyzed by neutral rhodium(I) Schiff base complex=es. 106

lartinez, M. Kinetics of the anation reaction of pentaammineaquacobalt(III) by phosphorous acid/hydrogenphosphite. 395

lasaguer, J. R. Synthesis and characterization of complexes of palladium(II) with 2–aminopyri=dine. 52

lasaguer, J. R. Benzenocarbothioamide complex=es of IIB metal halides. 273

lasaguer, J. R. Complexes of divalent nickel and copper with the Schiff base derived from 2–(2–=aminophenyl)benzimidazole and benzaldehyde. 318

lasoud, M. S. Metal chelates of heterocyclic nitrogen–containing ketones, X. Synthesis and characterization of platinum(II) complexes of syn–2–picolyl phenyl and syn–2–picolyl methyl ketoximes. The phenomena of isomerism. 327

lassacesi, M. Cobalt(II) and nickel(II) chloride complexes with some 2–(4'–methyl–2'–pyridyl and 2'– or 8'–quinolyl)benz–X–azoles. 351

lassacesi, M. Copper(II) chloride complexes of 2–(4'–methyl–2'–pyridyl)benzoxazole, their sulfur and nitrogen analogs and 2–(4'–methyl–2'{or 8'}–quinolyl)benzoxazoles. 362

Massaux, M. Spectroscopic, crystallographic and photochemical properties of a trans–cinnamoni=trile–copper(I) chloride adduct. 461

Mazzi, U. Synthesis and x–ray crystal structure of tetraethylammonium bis[1,2–di(carbomethoxy)=ethane–1,2–dithiolato]oxotechnetate(V). 127

Mazzi, U. Voltammetric behavior of rhenium(I) complexes with phosphine and carbon monoxide ligands in acetonitrile. 315

Mazzocchin, G. A. Electrochemistry of transition metal complexes of Schiff base compartmental ligands. 176

Mazzocchin, G. A. Voltammetric behavior of rhenium(I) complexes with phosphine and carbon monoxide ligands in acetonitrile. 315

Mehrotra, R. C. Magnetic and spectroscopic stu=dies of bimetallic iso–propoxides of later 3d metals with aluminum. 148

Meirim, M. G. Synthesis and spectroscopic fea=tures of bis(tetramethylammonium) and bis(ben=zyltriethylammonium) salts possessing a μ–oxo–=bis(trichloroferrate) anion structure. 205

Meirim, M. G. A chlorotitanocene tetrachlorofer=rate complex stabilized by acetonitrile coordina=tion. 337

Mesubi, M. A. Studies on nickel(II) complexes of some poly(1–pyrazolyl)alkane ligands. 91

Mesubi, M. A. Preparation and characterization of copper(II) complexes with bis(1–pyrazolyl)=propane. 181

Micera, G. Copper(II) chloride complexes of 2–=(4'–methyl–2'–pyridyl)benzoxazole, their sulfur and nitrogen analogs and 2–(4'–methyl–2'{or 8'}–quinolyl)benzoxazoles. 362

Milic, N. B. Hydrolysis of the palladium(II) ion in a sodium chloride medium. 173

Mirbach, M. F. Reactions of conjugated dienes with cobalt carbonyls under hydroformylation conditions. A high pressure IR spectroscopic study. 465

Mirti, P. Intramolecular scrambling processes of the complex of cadmium(II) and ethylenediami=netetraacetic acid in water–dioxane mixtures; an NMR investigation. 357

Mishra, R. Complexes of 2–(2–hydroxyacetophe=none)imino–5–(p–anisyl)–1,3,4–oxadiazole with some bivalent metal ions. 8

Mockford, M. J. An eight coordinate cyanide hydride complex of molybdenum: $K_4[MoH{=}(CN)_7].2H_2O$. 40

Mohamed, G. B. Metal chelates of heterocyclic nitrogen containing ketones. XIII. Cobalt(II), nickel(II) and palladium(II) complexes of 2–pico=lyl and 2–lutidyl methyl ketones. 23

Mondal, S. K. Metal complexes of sulfur–nitrogen chelating agents. Part 14. Nickel(II), palladi=um(II), copper(II), cobalt(II), and cobalt(III) complexes of the tetradentate Schiff bases hav=ing ONNS donor sites. 247

Monfort, M. Dinuclear complexes with a μ–cyano ligand. Part IX. Synthesis, characterization and magnetic studies of several derivatives of hexa=cyanochromate(3–) and pentacyanonitrosylchro=mate(3–). 407

Moran, M. Reactions of TiX_4 and vanadyl chloride ($VOCl_3$) with phosphorus–sulfur (P:S) ligands. 96

Morancais, J. L. Synthesis and characterization of dinuclear niobium(IV), niobium(III) and tantalum(III) chloride complexes with strongly basic phosphines: PCy_3 and P(tert–Bu)$_3$. 130

Moratal, J. M. Phenolate complexes of iron(III) in dimethyl sulfoxide solution. 294

Mostafa, M. M. Bivalent metal complexes of p–=methyl– and p–methoxybenzoylhydrazone ox=imes. 243

Moussa, M. N. H. Bivalent metal complexes of p–methyl– and p–methoxybenzoylhydrazone oximes. 243

Mukherjee, T. K. Studies on complex compounds of thorium(IV) with pyridine and quinoline carboxylic acid. Part I. 29

Mukhopadhyay, T. K. Interaction of divalent metal ions with uracil. III. Complexes of man=ganese(II), iron(II), cobalt(II), nickel(II), and copper(II) with uracil acting as bidentate ligand 46

Munze, R. Synthesis and x–ray crystal structure of tetraethylammonium bis[1,2–di(carbomethoxy)=ethane–1,2–dithiolato]oxotechnetate(V). 127

Muralidharan, S. Cobalt(II) complexes of creati=nine. 218

Murmann, R. K. Kinetic studies on the dimeriza=tion of molybdenum(V) in acid media and the crystal structure of $K[MoOCl_4(OH_2)].H_2O$. 260

Nag, K. Metal complexes of sulfur–nitrogen chelat=ing agents. Part 12. The chemistry of nickel=(II), palladium(II), cobalt(II) and copper(II) complexes of N_2S_2 and N_3S_2 donor systems. 152

Nag, K. Metal complexes of sulfur–nitrogen chelat=ing agents. Part 14. Nickel(II), palladium(II), copper(II), cobalt(II), and cobalt(III) complexes of the tetradentate Schiff bases having ONNS donor sites. 247

Nag, K. E.p.r. spectra and bonding parameters of copper(II) complexes of 2–methyl–4,6–diacylphe=nols, of the dibenzoyl analogs and of some of their derivatives. 454

Nagaraja, K. S. Cobalt(II) complexes of creati=nine. 218

Nagaraja, K. S. Isothiocyanatooxomolybdenum(V) dithiocarbamates. 290

Nagaraja, K. S. Spectral and thermogravimetric studies of oxohalobis(4–morpholinyldithiocar=bamato)molybdenum(V) complexes. 382

Narula, A. K. Benzoyl hydrazone derivatives of niobium(V) and tantalum(V) ethoxides. 379

Natarajan, C. Iron(II), cobalt(III), nickel(II) and copper(II) chelates of furan and thiophene azo–=oximes. 18

Navarro, R. Neutral and anionic pentafluorophe=nyl complexes of palladium and platinum(II) and their reactivity towards amines. 277

Navarro–Ranninger, M. d. C. Synthesis and characterization of complexes of palladium(II) with 2–aminopyridine. 52

Neuse, E. W. The mono– and bis(trichloroacetic acid)–solvates of ferrocenium trichloroacetate. 12

Neuse, E. W. The mono– and bis–(trichloroacetic acid)–solvates of ferricenium trichloroacetate (correction). 202

Neuse, E. W. Synthesis and spectroscopic features of bis(tetramethylammonium) and bis(benzyltri=ethylammonium) salts possessing a μ–oxo–bis=(trichloroferrate) anion structure. 205

Neuse, E. W. A chlorotitanocene tetrachloroferrate complex stabilized by acetonitrile coordination. 337

Nicholls, D. Co–ordination compounds of diacetyl=dihydrazone and diacetylbis(monomethylhydra=zone). 144

Nicolini, M. Synthesis and x–ray crystal structure of tetraethylammonium bis[1,2–di(carbometh=oxy)ethane–1,2–dithiolato]oxotechnetate(V). 127

Nonoyama, M. Cobalt(III), nickel(II), and copper=(II) complexes of 1–thia (or oxa)–4,7–diazacyclo=nonane and related mixed–ligand cobalt(III) complexes. 367

Ortega, F. Kinetics of the reaction of tris(4,7–di=phenyl–1,10–phenanthrolinedisulfonate)iron(II) ion with hydroxide ion in water. 331

Ostacoli, G. Ionic strength dependence of forma=tion constants. Part 4. Potentiometric study of the system copper(2+)–nickel(2+)–citrate. 385

Pallini, L. Different chemoselectivities in cobalt=(0)– and cobalt(I)–catalyzed cyclocotrimerization of carbon–carbon and carbon–nitrogen triple bonds. 360

Panda, D. Polymetallic complexes: Part V. ONNO tetradentate N,N'–bis(acetoacetanilide)–1,3–=diaminopropane complexes of cobalt(II), copper=(II) and zinc(II). 117

Panda, D. Polymetallic complexes: Part VI. Schiff base complexes of cobalt(II), copper(II), nickel(II), zinc(II), cadmium(II) and mercury(II) 280

Panda, D. Polymetallic complexes: part VII. Bis=(benzoin)thiocarbohydrazide complexes of co=balt(II), copper(II) and zinc(II). 476

Paul, P. Metal complexes of sulfur–nitrogen che=lating agents. Part 14. Nickel(II), palladium=(II), copper(II), cobalt(II), and cobalt(III) com=plexes of the tetradentate Schiff bases having ONNS donor sites. 247

Paul, P. Metal complexes of sulfur–nitrogen che=lating agents. Part 12. The chemistry of nickel=(II), palladium(II), cobalt(II) and copper(II) complexes of N_2S_2 and N_3S_2 donor systems. 152

Payne, K. S. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163

Pedrosa de Jesus, J. D. NMR studies of complex=es of molybdenum(VI) with tartaric acid in aqueous solution. 62

Pedrosa de Jesus, J. D. Tungsten(VI) and mixed tungsten, molybdenum(VI) complexes of tartaric acid. 81

Peringer, P. Photoinduced synthesis of the six–=membered heterocyclic ring system, $[M(CO)_4PO{=}(OEt)_2]_2$ (M = Mn or Re). 325

Pilbrow, M. F. A reaction of Tipper's compound. 293

Pinna, R. Cobalt(II) and nickel(II) chloride com=plexes with some 2–(4'–methyl–2'–pyridyl and 2'– or 8'–quinolyl)benz–X–azoles. 351

Piu, P. Copper(II) chloride complexes of 2–(4'–me=thyl–2'–pyridyl)benzoxazole, their sulfur and nitrogen analogs and 2–(4'–methyl–2'{or 8'}–qui=nolyl)benzoxazoles. 362

Poddar, R. K. A convenient method of preparing nickel(II) thiocyanate and its use in synthesis. 135

Ponticelli, G. Copper(II) chloride complexes of 2–(4'–methyl–2'–pyridyl)benzoxazole, their sulfur and nitrogen analogs and 2–(4'–methyl–2'{or 8'}–quinolyl)benzoxazoles. 362

Puri, L. Structural studies of palladium complexes with ligands containing the amide group. 103

Rajaram, V. Transition metal complexes of the Schiff bases from 2–phenylethylamine and 2–hy=droxyarylcarbonyl compounds. 48

Rajca, I. Structure and properties of anthranilato– and N–phenylanthranilatorhodium(I) complexes with cis,cis–1,5–cyclooctadiene. 109

Ramalingam, S. K. Transition metal complexes of the Schiff bases from 2–phenylethylamine and 2–hydroxyarylcarbonyl compounds. 48

Ramalingam, S. K. Phenylisocyanation and bromi=nation studies on lanthanide β–diketonates. 449

Ramirez, E. Synthesis and spectral properties of new complexes between glycine and titanium=(III), vanadium(III), chromium(III), iron(III), cobalt(II), nickel(II) and copper(II). 268

Refaat, L. S. Metal chelates of heterocyclic nitrogen containing ketones. XIII. Cobalt(II), nickel(II) and palladium(II) complexes of 2-picolyl and 2-lutidyl methyl ketones. 23
Refosco, F. Voltammetric behavior of rhenium(I) complexes with phosphine and carbon monoxide ligands in acetonitrile. 315
Renkema, W. E. Base hydrolysis of mono-alkyl-substituted chloropentaamminecobalt(III) complexes. 224
Ribas, J. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon-13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)-μ-cyano-pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57
Ribas, J. Dinuclear complexes with a μ-cyano ligand. Part VIII. Synthesis and characterization of several derivatives of cis-$[CrX(H_2O)(en)_2]^{2+}$ (X = Cl or Br). 287
Ribas, J. Dinuclear complexes with a μ-cyano ligand. Part IX. Synthesis, characterization and magnetic studies of several derivatives of hexacyanochromate(3-) and pentacyanonitrosylchromate(3-). 407
Ribas, J. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroamminechromate(III) anions. Crystal structure of the (en-H_2)[CrF_4(en)]Cl. 469
Rigano, C. Ionic strength dependence of formation constants. Part 4. Potentiometric study of the system copper(2+)-nickel(2+)-citrate. 385
Riggi, F. The frozen-solution EPR spectrum of the bis(2,2':6',2"-terpyridyl)copper(II) cation. 308
Rodenas, E. Kinetics of the reaction of tris(4,7-diphenyl-1,10-phenanthrolinedisulfonate)iron(II) ion with hydroxide ion in water. 331
Rodriguez, B. Reactions and molecular structure of di-μ-pentafluorothiophenolatobis(1,5-cyclooctadiene)dirhodium(I). 284
Rodriguez, J. C. Mono- and dinuclear cationic rhodium(I) and iridium(I) complexes with sulfur donor and Group VA ligands. 83
Rodriguez, J. C. Carbonyl cationic rhodium(I) and iridium(I) complexes with sulfur donor and triphenylphosphine ligands. 237
Roncari, E. Voltammetric behavior of rhenium(I) complexes with phosphine and carbon monoxide ligands in acetonitrile. 315
Ros, J. Synthesis and characterization of 1-methyl-4-mercaptopiperidine complexes of nickel(II), palladium(II) and platinum(II). 345
Ros, J. Iron(III) complexes with N-methyl-4-mercaptopiperidine. 355
Rossell, O. Synthesis and phosphorus-31 NMR studies of neutral and cationic compounds with platinum-mercury bonds. 208
Rossi, R. Reactions of rhenium nitrene (imido) complexes $[Re(NR)Cl_3(PR'_3)_2]$ with salicylaldehyde (R = Me or p-MeC_6H_4; PR'_3 = PPh_3, $PMePh_2$, PMe_2Ph, PEt_2Ph or PEt_3). The crystal structure of $[ReCl_2(p\text{-}MeC_6H_4N)(CHOC_6H_4O)PPh_3]$. 299
Roy, P. S. A very simple synthesis of potassium pentacyanonitrosylrhenate dihydrate ($K_3[Re(NO)(CN)_5].2H_2O$) directly from perrhenate(VII): existence of two structural isomers in aqueous medium as indicated by carbon-13 NMR spectroscopy. 281
Roy, R. Metal complexes of sulfur-nitrogen chelating agents. Part 12. The chemistry of nickel(II), palladium(II), cobalt(II) and copper(II) complexes of N_2S_2 and N_3S_2 donor systems. 152
Roy, R. Metal complexes of sulfur-nitrogen chelating agents. Part 14. Nickel(II), palladium(II), copper(II), cobalt(II), and cobalt(III) complexes of the tetradentate Schiff bases having ONNS donor sites. 247
Ruiz, A. Mono- and dinuclear cationic rhodium(I) and iridium(I) complexes with sulfur donor and Group VA ligands. 83
Ruiz, A. Carbonyl cationic rhodium(I) and iridium(I) complexes with sulfur donor and triphenylphosphine ligands. 237
Salagre, P. Synthesis, characterization and a voltammetric study of $(Bu_4N)_2[Mo_2Br_6]$. Oxidation-reduction mechanism of related compounds. 447
Sales, J. Reactivity of dimetalated benzalazines. 203
Sammartano, S. Ionic strength dependence of formation constants. Part 4. Potentiometric study of the system copper(2+)-nickel(2+)-citrate. 385
Sanchez, F. The reaction of nickel(II) with 2,2'-bipyridyl in methanol- and in dimethyl sulfoxide-water mixtures: solvent effects on reactivity. 3
Sanchez, F. Transfer chemical potentials for iron(II)-diimine complexes from water into aqueous methanol. 306
Sandhu, S. S. Chemistry of iron complexes. Part V. Electron spin resonance spectra of some iron(III) complexes and x-ray diffraction (powder) data of iron(II) complexes employing tertiary phosphine/arsine oxides. 119
Sandhu, S. S. X-ray diffraction (powder), ESR and other spectral studies of tris[methylenebis(diphenylphosphine oxide)]iron(III) perchlorate. 330
Santos, J. G. Catalytic activity and visible spectroscopy of $[Rh(norbornadiene)Cl]_2/(p\text{-}RC_6H_4)_3P$ system in methanol. 155
Saraswati, R. Synthesis and some properties of furylacrylates of aluminum(III) and titanium(IV). 35
Sariego, R. Hydrogen transfer reactions catalyzed by neutral rhodium(I) Schiff base complexes. 106
Sarkar, A. R. Studies on complex compounds of thorium(IV) with pyridine and quinoline carboxylic acid. Part I. 29
Sarkar, A. R. Interaction of divalent metal ions with uracil. III. Complexes of manganese(II), iron(II), cobalt(II), nickel(II), and copper(II) with uracil acting as bidentate ligand. 46
Sarma, K. P. A convenient method of preparing nickel(II) thiocyanate and its use in synthesis. 135
Satpathy, K. C. Complexes of 2-(2-hydroxyacetophenone)imino-5-(p-anisyl)-1,3,4-oxadiazole with some bivalent metal ions. 8
Savarino, P. Cobalt(II) and nickel(II) chloride complexes with some 2-(4'-methyl-2'-pyridyl and 2'- or 8'-quinolyl)benz-X-azoles. 351
Schlemper, E. O. Kinetic studies on the dimerization of molybdenum(V) in acid media and the crystal structure of $K[MoOCl_4(OH_2)].H_2O$. 260
Schubert, U. Hydrido silyl complexes. Part III. Steric effects of phosphorus ligands on the preparation of chiral hydrido silyl complexes of manganese. 161
Scotti, M. Rhodium(I) diolefin complexes with polycyclic π-arene ligands. Synthesis of bimetallic complexes with diphenylmethane as bridging ligand. 312
Seco, M. Synthesis and phosphorus-31 NMR studies of neutral and cationic compounds with platinum-mercury bonds. 208
Seeber, R. Voltammetric behavior of rhenium(I) complexes with phosphine and carbon monoxide ligands in acetonitrile. 315
Segui, A. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroamminechromate(III) anions. Crystal structure of the (en-H_2)[CrF_4(en)]Cl. 469
Sen Gupta, K. K. Kinetics of oxidation of neutralized glycolic acid by hexachloroiridate(IV). 416
Serra, M. Dinuclear complexes with a μ-cyano ligand. Part VIII. Synthesis and characterization of several derivatives of cis-$[CrX(H_2O)(en)_2]^{2+}$ (X = Cl or Br). 287
Shabana, E-S. I. Studies on extraction of iron(III) and cobalt(II) chlorides by quaternary ammonium halides. 199
Shankar, G. Phenylisocyanation and bromination studies on lanthanide β-diketonates. 449
Sharma, A. K. Bis[N-(chlorophenyl)dithiocarbamato] complexes of cobalt(II), nickel(II), palladium(II) and platinum(II). 250
Sharma, K. K. Cobalt(II) and nickel(II) complexes of some nitrogen-oxygen and nitrogen-sulfur ligands. 1
Sharma, K. K. Copper(II) complexes of isobutyl methyl ketone semicarbazone. 401
Sharma, R. K. Physico-chemical studies on the chelation behavior of acenaphthenequinone monothiosemicarbazone (AQTS) with some bivalent metal ions. 473
Sherry, R. The reaction of nickel(II) with 2,2'-bipyridyl in methanol- and in dimethyl sulfoxide-water mixtures: solvent effects on reactivity. 3
Sherry, R. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163
Shrimal, A. K. Schiff-base derivatives of molybdenum carbonyl. 478
Shyu, H. L. Moessbauer and electric conductivity studies of bidentate base adducts of acetylacetonatoiron(II). 211
Sindhwani, S. K. Physico-chemical studies on the chelation behavior of acenaphthenequinone monothiosemicarbazone (AQTS) with some bivalent metal ions. 473
Singh, B. Benzoyl hydrazone derivatives of niobium(V) and tantalum(V) ethoxides. 379
Singh, J. Magnetic and spectroscopic studies of bimetallic iso-propoxides of later 3d metals with aluminum. 148
Singh, O. P. Schiff-base derivatives of molybdenum carbonyl. 478
Singh, S. K. Physico-chemical studies on the chelation behavior of acenaphthenequinone monothiosemicarbazone (AQTS) with some bivalent metal ions. 473
Sisak, A. The oxidation of dicobalt octacarbonyl, dimanganese decarcarbonyl, and iron pentacarbonyl by dibenzoyl peroxide. Kinetics and mechanism. 265
Smith, M. Kinetics of substitution in two water soluble cobalt(III)-porphyrins. 270
Soares, A. M. An eight coordinate cyanide hydride complex of molybdenum: $K_4[MoH(CN)_7].2H_2O$. 40
Solans, A. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroaminechromate(III) anions. Crystal structure of the (en-H_2)[CrF_4(en)]Cl. 469
Solans, X. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon-13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)-μ-cyano-pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57
Solans, X. Systematic synthesis and characterization of the derivative complexes of the tetrafluoroaminechromate(III) anions. Crystal structure of the (en-H_2)[CrF_4(en)]Cl. 469
Somu, S. Structural studies of palladium complexes with ligands containing the amide group. 103
Soto, J. Synthesis, characterization and a voltammetric study of $(Bu_4N)_2[Mo_2Br_6]$. Oxidation-reduction mechanism of related compounds. 447
Souza, P. Complexes of divalent nickel and copper with the Schiff base derived from 2-(2-aminophenyl)benzimidazole and benzaldehyde. 318
Spencer, N. Aspects of the inorganic chemistry of rubber vulcanization. Part 5. Complexes of zinc, nickel and cobalt derived from 2-mercaptobenzothiazole and its 5-ethoxy- and ethyl-derivatives. 139
Spies, H. Synthesis and x-ray crystal structure of tetraethylammonium bis[1,2-di(carbomethoxy)ethane-1,2-dithiolato]oxotechnetate(V). 127
Srivastava, S. C. Schiff-base derivatives of molybdenum carbonyl. 478
Su, C. C. The formation of cobalt(II) halide complexes containing neutral bidentate ligands. 220
Suades, J. Reaction of carbon disulfide with bis(γ-mercaptopropylamine)nickel(II). 255
Suades, J. Cobalt(III) complexes with aminothiolates. 342
Sueiras, J. E. Synthesis, characterization and a voltammetric study of $(Bu_4N)_2[Mo_2Br_6]$. Oxidation-reduction mechanism of related compounds. 447
Sulfab, Y. Kinetics of the oxidation of iodide by copper(III)-imine-oxime complexes. 31
Ta, N. C. Studies on complex compounds of thorium(IV) with pyridine and quinoline carboxylic acid. Part I. 29
Takacs, J. Iron(II) carbonyl complexes containing xanthate, dithiocarbamate or dithiophosphate ligands. 10
Tamburini, S. Electrochemistry of transition metal complexes of Schiff base compartmental ligands. 176
Tan, S. F. Synthesis and characterization of copper(II), nickel(II) and palladium(II) complexes of some Schiff bases of dehydroacetic acid. 390
Tejada, X. Synthesis, crystal and molecular structure and spectroscopic studies (IR, electronic, carbon-13 NMR and Moessbauer) of the perchlorate of nitrosyltetracyanoiron(II)-μ-cyano-pentaamminecobalt(III) trihydrate and its chromium(III) analog. 57
Terenghi, G. Different chemoselectivities in cobalt(0)- and cobalt(I)-catalyzed cyclocotrimerization of carbon-carbon and carbon-nitrogen triple bonds. 360
Thakur, K. K. Copper(II) complexes of isobutyl methyl ketone semicarbazone. 401
Thomas, G. Histidine-containing mixed amino acid and dipeptide copper(II) complexes. Cyclic voltammetric studies on the reduction in aqueous media. 377
Torrens, H. Reactions and molecular structure of di-μ-pentafluorothiophenolatobis(1,5-cyclooctadiene)dirhodium(I). 284
Tripathi, S. C. Schiff-base derivatives of molybdenum carbonyl. 478
Tsangaris, J. M. Complexes of aminobenzylamines. Part II. Complexes of o-aminobenzylamine with palladium(II) and platinum(II). 77
Twigg, M. V. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163
Udupa, M. R. Cobalt(II) complexes of creatinine. 218
Udupa, M. R. Isothiocyanatooxomolybdenum(V) dithiocarbamates. 290
Udupa, M. R. Spectral and thermogravimetric studies of oxohalobis(4-morpholinyldithiocarbamato)molybdenum(V) complexes. 382
Ungvary, F. The oxidation of dicobalt octacarbonyl, dimanganese decarcarbonyl, and iron pentacarbonyl by dibenzoyl peroxide. Kinetics and mechanism. 265
Uson, R. Neutral and anionic pentafluorophenyl complexes of palladium and platinum(II) and their reactivity towards amines. 277
Vadde, R. Structural studies of palladium complexes with ligands containing the amide group. 103
Valderrama, M. Hydrogen transfer reactions catalyzed by neutral rhodium(I) Schiff base complexes. 106
Valderrama, M. Rhodium(I) diolefin complexes with polycyclic π-arene ligands. Synthesis of bimetallic complexes with diphenylmethane as bridging ligand. 312
Van Eldik, R. Kinetics and mechanism of an unique hydrolysis reaction of (hexafluoroacetylacetonato)bis(ethylenediamine)cobalt(III) in aqueous solution. 257
Van Nuffel, P. Determination of the crystal structure and the spectroscopic data of bis(N,N'-dicyclopentyldithiooxamide)palladium. 213
Vasanthi, S. Spectral and thermogravimetric studies of oxohalobis(4-morpholinyldithiocarbamato)molybdenum(V) complexes. 382
Vigato, P. A. Electrochemistry of transition metal complexes of Schiff base compartmental ligands 176
Vilarrasa, J. Reactivity of dimetalated benzalazines. 203
Vithal, M. Preparation and Moessbauer studies of tetraaquabis[maleato(1-)]iron(II). 73
Volponi, L. Rhodium(III) halide complexes with sulfur donors. The crystal structure of mer-tris(O-ethylthiocarbamate)trichlororhodium(III) acetone (1/1). 419

Wei, H. H. Moessbauer and electric conductivity studies of bidentate base adducts of acetylaceto=natoiron(II). 211
Wellings, P. Kinetic and spectroscopic intimations of intermediates in nucleophilic attack at diimine complexes of iron(II) and of molybdenum(0). 163
West, D. X. N–Butyl–, N–isobutyl– and N–sec–butyl–2–picolinamine N–oxide complexes derived from copper(II) salts of polyatomic anions. 412
Williams, P. A. NMR studies of complexes of molybdenum(VI) with tartaric acid in aqueous solution. 62
Williams, P. A. Tungsten(VI) and mixed tungsten, molybdenum(VI) complexes of tartaric acid. 81
Wojtczak, J. Complex compounds of ferrocene in a biacceptor system. 303
Zacharias, P. S. Histidine–containing mixed amino acid and dipeptide copper(II) complexes. Cyclic voltammetric studies on the reduction in aqueous media. 377
Zanello, P. Electrochemistry of transition metal complexes of Schiff base compartmental ligands 176
Zarembowitch, J. Spectroscopic, crystallographic and photochemical properties of a trans–cinnamonitrile–copper(I) chloride adduct. 461
Zubieta, J. Structure and properties of a monomeric copper(II) complex with a N_3 tridentate unit containing 2–thio–1–methylimidazole. 404
Zubieta, J. Synthesis and structure of a mono–chloro bridged copper(II) dimer containing a linear Cu^{II}–Cl–Cu^{II} bridge. 405
Zubieta, J. A. The structure of $[Mo(NHNHCO_2Me)(N_2CO_2Me)(S_2CNMe_2)_2]$, a complex with a side–on hydrazido(1–)–ligand. 39

Keyword Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Acenaphthenequinone
thiosemicarbazone chelate stability 473
Acetoacetanilidediaminopropane
transition metal 117
Acetophenone
redn propanol catalyst 106
Acetylacetonate
rare earth bromination phenylisocyanation 449
Acetylacetonato
iron iodide oxidized 211
Acid
const platinacyclobutane 293
Addn
oxidative benzoquinone deriv rhodium 54
Alkylamine
complex cobalt 3 hydrolysis 224
Alkyne
cyclotrimerization diyne cobalt 360
Aluminum
furylacrylato isopropoxo butoxo 35
3d isopropoxide magnetism spectra 148
Amine
palladium platinum complex reaction 277
Amino
acid histidine copper electroredn 377
Aminoalc
dehydroacetic acid Schiff metal 390
Aminoalkanethiolato
cobalt 342
Aminoanisyloxadiazole
hydroxyacetophenone Schiff metal 8
Aminobenzylamine
palladium platinum halo 77
Aminophenol
dehydroacetic acid Schiff metal 390
Aminophenylbenzimidazole
benzaldehyde Schiff copper nickel 318
Aminopyridine
palladium 52
Ammine
aqua cobalt deaquation phosphite kinetics 395
cobalt aquation kinetics 322
cobalt 3 base hydrolysis 224
Ammonium
halide quaternary extn iron cobalt 199
quaternary chlorooxodiferrate 205
Aniline
dehydroacetic acid Schiff metal 390
Anion
transfer chem potential 234
Anisylideneimine
Schiff molybdenum carbonyl 478
Anthranilato
rhodium hydrogenation catalyst 109
Aqua
ammine cobalt deaquation phosphite kinetics 395
nitrilotriacetato cobaltate oxidn periodate kinetics 439
Aquation
cobalt chloro complex 193
kinetics cobalt 3 complex 322
kinetics molybdate chloro 260
Arene
diolefin rhodium complex 312
Arsine
tertiary oxide iron ESR 119
Azenido
hydrazido dithiocarbamato molybdenum structure 39
Azide
deaquation cobalt ammine aqua mechanism 68
Base
hydrolysis cobalt 3 ammine 224
Benzalazine
dimetalated reaction phosphine 203
Benzaldehyde
aminophenylbenzimidazole Schiff copper nickel 318
Benzalideneimine
Schiff molybdenum carbonyl 478
Benzamide
deriv palladium complex 103
Benzenocarbothioamide
halo Group IIB 273
Benzimidazole
copper chloro 362
picolyl cobalt nickel 351
Benzobarrelene
rhodium complex 312
Benzointhiocarbohydrazide
transition metal 476
Benzoquinone
deriv oxidative addn rhodium 54
Benzothiazole
copper chloro 362
picolyl cobalt nickel 351
Benzoxazole
copper chloro 362
picolyl quinolyl cobalt nickel 351
Benzoyl
hydrazone ethoxo niobium tantalum 379
peroxide manganese carbonyl oxidn 265
Benzoylacetonate
rare earth bromination phenylisocyanation 449
Benzoylfluoroacetonato
aqua erbium structure 423
Benzoylhydrazonato
molybdenum ferrocenealdehyde complex 482
Benzoylhydrazone
oxime diacetyl transition metal 243
Bidihydrothiazine
ferrous complex reaction 339
Biphenyl
rhodium complex 312
Bipyridine
cobalt halo 220
iron acetylacetonato 211
nickel thiocyanate 135
Bipyridyl
nickel reactivity solvent effect 3
Bisthioimidazoleethylamine
imidazole copper 404
Bromination
rare earth diketonate 449
Bromo
complex cobalt aquation 322
Bromobenzoquinone
carbonyl halo triphenylphosphine rhodium 54
Butadiene
hydroformylation cobalt catalyst 465
Butoxo
aluminum titanium furylacrylato 35
Butylpicolinamine
oxide copper 412
Cadmium
EDTA inversion kinetics NMR 357
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Carbene
carbonyl tungsten structure 43
palladium platinum complex 277
Carbon
disulfide insertion nickel mercaptopropylamine 255
monoxide pentafluorothiophenolato rhodium reaction 284
Carbonyl
bromobenzoquinone halo triphenylphosphine rhodium 54
carbene tungsten structure 43
cobalt peroxide kinetics oxidn 265
iridium rhodium triphenylphosphine 237
iron dithiocarbamato xanthato dithiophosphato 10
molybdenum Schiff base 478
rhenium phosphine complex voltammetry 315
Carboxylate
cobalt creatinine 218
Cation
complex rhodium iridium diene 83
CD
copper Schiff base structure 121
Charge
transfer complex ferrocene 303
Chelate
thiosemicarbazone acenaphthenequinone stability const 473
Chem
potential transfer anion 234
potential transfer ferrous complex 306
Chloride
iron phosphine arsine oxide structure 119
Chloro
complex cobalt 2 hydrolysis 224
Chloroiridate
oxidn glycolic acid kinetics mechanism 416
Chlorophenyldithiocarbamato
transition metal 250
Chromate
binuclear cyano fluoro diamine 407
Chromium
aluminum isopropoxide magnetism spectra 148
chloro glycine complex 268
complex soly 193
iron dinuclear cyano 57
nickel group cyano complex 287
rhodium bimetallic complex 312
3 complex salt soly 234
Cinnamonitrile
cuprous halo 461
Citrate
copper nickel complex thermodn 385
Cobalt
acetoacetanilidediaminopropane 117
aluminum isopropoxide magnetism spectra 148
aqua ammine deaquation phosphite kinetics 395
benzointhiocarbohydrazide 476
bisphenylsulfinylethane 158
carbonyl diene hydroformylation 465
carbonyl peroxide kinetics oxidn 265
chloro complex aquation 193
chloro glycine complex 268
chlorophenyldithiocarbamate prepn thermolysis 250
creatinine 218
cyclotrimerization diyne alkyne nitrile 360
diacetyl benzoylhydrazone oxime 243
diamine diethylenetriamine cyclopentenediethioc= arboxylate deriv 152
EDTA heterobimetallic polymetallic 184
extn quaternary ammonium halide 199
furan thiophene azooximato 18
halo pyridine deriv stereochem 220
halo thiadiazole deriv 457
iron dinuclear cyano 57
ketone complex 23
mercaptoalkylamine 342
mercaptobenzothiazole 139
oxadiazacyclononane thiadiazacyclononane 367
picolylbenzoxazole picolylbenzothiazole picolyl= benzimidazole 351
pyruvato semicarbazone thiosemicarbzone 1
Schiff aminoalkylaminocyclopentenedithiocarbox= ylate 247
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Schiff base phenylethylamine 48
Schiff salicylaldehyde diaminodiphenylmethane 280
uracil complex 46
3 ammine base hydrolysis 224
3 complex aquation kinetics 322
3 complex salt soly 234
3 diketonate ethylenediamine hydrolysis 257
3 porphyrin substitution kinetics 270
Cobaltate
aqua nitrilotriacetato oxidn periodate kinetics 439
Complex
copper histidine mixed electroredn 377
Copper
acetoacetanilidediaminopropane 117
aluminum isopropoxide magnetism spectra 148
benzimidazole benzothiazole benzoxazole chloro 362
benzointhiocarbohydrazide 476
bisphenylsulfinylethane 158
bispyrazoylpropane 181
bispyridylethylamine chloro crystal structure 405
butylpicolinamine oxide 412
chloro glycine complex 268
diacetyl benzoylhydrazone oxime 243
diamine diethylenetriamine cyclopentenedithio= carboxylate deriv 152
EDTA heterobimetallic polymetallic 184
furan thiophene azooximato 18
halothiadiazole 190
histidine mixed complex electroredn 377
imine oxime oxidn iodide kinetics 31
isobutyl methyl ketone semicarbazone 401
methylacylphenol methylbenzoylphenol EPR 454
nickel citrate complex thermodn 385
oxadiazacyclononane thiadiazacyclononane 367
Schiff aminoalkylaminocyclopentenedithiocarbox= ylate 247
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Schiff aminophenylbenzimidazole benzaldehyde 318
Schiff base CD structure 121
Schiff base coordination site electrochem 176
Schiff base phenylethylamine 48
Schiff dehydroacetic acid 390
Schiff picolylphenylketone dithiocarbazate 372
Schiff salicylaldehyde diaminodiphenylmethane 280
terpyridyl EPR 308
uracil complex 46
Correction
trichloroacetate solvate ferrocene 202
Creatinine
cobalt complex 218
Crystal
structure chloromolybdate complex 260
structure copper bispyridylethylamine chloro 405
structure copper bisthioimidazoleethylamine imidazole 404
structure erbium benzoylfluoroacetonato aqua 423
structure ferrocene molybdenum complex 482
structure gold chloro imidazolidinethione 398
structure molybdenum methylcarboxydiazenido hydrazido dithiocarbamato 39
structure rhodium ethyl thiocarbamate 419
structure thiophenolato rhodium complex 284
structure tungsten carbene carbonyl 43

Cuprous
cinnamonitrile halo 461
Cyanide
substitution kinetics metal complex 163
Cyano
bridge dichromate diamine 407
chromium nickel group complex 287
hydrido molybdate complex 40
iron heterodinuclear nitrosyl 57
rhenate nitrosyl prepn 281
transition metal force const 123
Cyclohexanediamine
chromium fluoro 469
Cyclohexene
redn propanol catalyst 106
Cyclooctadiene
iridium carbonyl triphenylphosphine 237
rhodium complex 312
rhodium complex crystal structure 284
Cyclopentadienylmanganese
photochem silylation 161
Cyclopentenedithiocarboxylate
methyl deriv diamine metal 152
Cyclotrimerization
diyne alkyne nitrile cobalt 360
Deaquation
cobalt ammine aqua nitrite kinetics 68
cobalt aqua ammine phosphite kinetics 395
Decompn
thermal heat chlorophenyldithiocarbamate complex 250
thermal iron maleato 73
Dehydroacetic
acid Schiff transition metal 390
amino acid Schiff metal 390
Diacetyl
benzoylhydrazone oxime transition metal 243
Diacetylbismethylhydrazone
transition metal 144
Diacetyldihydrazone
transition metal 144
Diamine
chromium fluoro 469
dehydroacetic acid Schiff metal 390
fluoro cyano binuclear chromate 407
methyl cyclopentenedithiocarboxylate deriv metal 152
Diaminodiphenylmethane
salicylaldehyde Schiff metal 280
Dibenzoylmethanate
rare earth bromination phenylisocyanation 449
Dicyclopentyldithiooxamide
palladium 213
Diene
cobalt carbonyl hydroformylation 465
rhodium iridium cation complex 83
Diimine
ferrous complex substitution kinetics 163
Diketonate
rare earth bromination phenylisocyanation 449
Diketonato
fluoro deriv lanthanide 423
Diketone
rare earth mass spectra 433
Dimercaptosuccinate
dimethyl oxo technetium 127
Dimerization
kinetics molybdenum 5 260
Dimetalated
benzalazine reaction phosphine 203
Dimethylamine
nickel thiocyanate 135
Diolefin
arene rhodium complex 312
Dioxane
aq cadmium EDTA kinetics 357
Dipeptide
histidine copper complex electroredn 377
Diphenylketimine
Schiff molybdenum carbonyl 478
Diphenylmethane
rhodium complex 312
Disorder
EDTA heterobimetallic polymetallic 184
Dissocn
kinetics ferrous phenanthroline complex 347
Dithiacyclohexane
iridium rhodium carbonyl triphenylphosphine 237
Dithiaoctane
iridium rhodium carbonyl triphenylphosphine 237
Dithiocarbamato
carbonyl iron 10
isothiocyanato oxo molybdenum 290
methylcarboxydiazenido hydrazido molybdenum structure 39
Dithiocarbazate
picolylphenylketone Schiff copper nickel 372
Dithionate
transfer potential aq methanol 234
Dithiophosphato
carbonyl iron 10
Diyne
cyclotrimerization alkyne nitrile cobalt 360
DMSO
aq kinetics racemization ferroin 347
aq soly iron group chloride 3
ferric phenolate complex 294
EDTA
cadmium inversion kinetics NMR 357
heterobimetallic polymetallic complex 184
Elec
cond iron acetylacetonato oxidized 211
Electrochem
redox hexabromodimolybdate 447
Electrometry
ferrocenealdehyde benzoylhydrazonato molybdenum complex 482
Electronic
spectra lanthanide fluorodiketonato 423
spectrum ferrocene tetrachloromethane tetranitromethane 303
Electroredn
copper histidine mixed complex 377
transition metal Schiff base 176
EPR
copper methylacylphenol complex 454
terpyridyl copper 308
Erbium
benzoylfluoroacetonato aqua structure 423
ESR
iron phosphine arsine tertiary oxide 119
3d aluminum isopropoxide 148
Ethoxo
benzoyl hydrazone niobium tantalum 379
Ethyl
sulfide pentafluorothiophenolato rhodium reaction 284
Ethylenediamine
chromium fluoro 469
cobalt aquation kinetics 322
formylsalicylic acid Schiff base 176
hydrolysis cobalt 3 diketonate 257
Europium
Schiff salicylaldehyde valine fluorescence 335
Extn
iron cobalt quaternary ammonium halide 199
Ferric
extn quaternary ammonium halide 199
phenolate complex DMSO 294
Ferricenium
trichloroacetate solvate 12
Ferrocene
tetrachloromethane tetranitromethane electronic spectrum 303
trichloroacetate solvate 12
trichloroacetate solvate correction 202
Ferrocenealdehyde
benzoylhydrazonato molybdenum complex 482
Ferroin
racemization aq DMSO kinetics 347
Ferrous
complex salt soly 234
complex transfer chem potential 306
diimine complex substitution kinetics 163
Fluorescence
europium Schiff salicylaldehyde valine 335
Fluoro
diamine cyano binuclear chromate 407
Fluorodiketonato
lanthanide 423
Force
const cyano transition metal 123
Formylsalicylic
acid ethylenediamine Schiff base 176
Furan
azooximato transistion metal 18
Furylacrylato
aluminum titanium isopropoxo butoxo 35
Glycine
chloro transition metal complex 268
Glycolic
acid oxidn chloroiridate kinetics mechanism 416
Gold
chloro imidazolidinethione crystal structure 398
Group
IIB benzoylhydrazone oxime 243
IIB halo benzenocarbothioamide 273
IIB Schiff salicylaldehyde diaminodiphenylmethane 280
VA ligand rhodium iridium 83
Halogenation
molybdenum carbonyl Schiff 478
Halothiadiazole
copper 190
Heat
soln iron group chloride hydrate 3
Hexanone
semicarbazone copper 401
Hexene
hydrogenation rhodium complex catalyst 155
Histidine
mixed copper complex electroredn 377
Hydrazido
methylcarboxydiazenido dithiocarbamato molybdenum structure 39
Hydrazine
nickel thiocyanate 135
Hydrazone
benzoyl ethoxo niobium tantalum 379
Hydrido
molybdate cyano complex 40
silyl manganese stability 161
Hydroformylation
diene cobalt carbonyl 465
Hydrogen
bond cyanonitrosylrhenate isomerism 281
transfer rhodium Schiff base 106
Hydrogenation
catalyst anthranilato rhodium 109
catalyst rhodium phosphine complex 155
Hydrolysis
base cobalt 3 ammine 224
ethylenediamine cobalt 3 diketonate 257
kinetics iron 2 complex 331
palladium 2 aq chloride 173
Hydroxide
substitution kinetics metal complex 163
Hydroxyacetophenone
aminoanisyloxadiazole Schiff metal 8
deriv phenylethylamine Schiff metal 48
Hydroxynaphthaldehyde
phenylethylamine Schiff base metal 48
Hydroxypropiophenone
deriv phenylethylamine Schiff metal 48
Imidazole
bisthioimidazoleethylamine copper 404
deriv rhodium complex 88
Imidazolidinethione
gold chloro 398
Imidobisphosphine
sulfide titanium vanadium 96
Imine
oxime copper oxidn iodide kinetics 31
Insertion
carbon disulfide nickel mercaptopropylamine 255
Inversion
kinetics cadmium EDTA NMR 357
Iodide
iron phosphine arsine oxide structure 119
oxidn copper imine oxime kinetics 31
Ion
pair cobalt complex 322
IR
metal bisphenylsulfinylethane 158
methylaminophenylcarbene carbonyl tungsten structure 43
UV NMR cobalt amine 224
Iridium
carbonyl triphenylphosphine 237
diene cation complex 83
Iron
acetylacetonato iodide oxidized 211
aluminum isopropoxide magnetism spectra 148
bisphenylsulfinylethane 158
carbonyl dithiocarbamato xanthato dithiophosphato 10
carbonyl oxidn benzoyl peroxide 265
chloride titanocene acetonitrile complex 337
chloro glycine complex 268
cobalt extn quaternary ammonium halide 199
dinuclear cobalt chromium cyano 57
furan thiophene azooximato 18
group chloride hydrate heat soln 3
maleato prepn thermal decompn 73
mercaptopiperidine 355
oxo chloro dinuclear anion 205
phosphine arsine tertiary oxide 119
phosphinomethane oxide 330
uracil complex 46
2 complex hydrolysis kinetics 331
2 thiazine complex kinetics 339
Isomerism
cyanonitrosylrhenate hydrogen bond 281
Isomerization
photo cinnamonitrile copper chloro 461
Isonitrile
platinum palladium complex 277
Isopropoxide
3d aluminum magnetism spectra 148
Isopropoxo
aluminum titanium furylacrylato 35
Isothiocyanato
dithiocarbamato oxo molybdenum 290
Jahn
Teller terpyridyl copper 308
Ketone
isobutyl methyl semicarbazone copper 401
transition metal complex 23
Ketoxime
picolyl phenyl methyl platinum 327
Kinetics
aquation cobalt 3 complex 322
deaquation cobalt ammine aqua nitrite 68
deaquation cobalt aqua ammine phosphite 395
dimerization molybdenum 5 260
hydrolysis cobalt fluoroacetylacetonate 257
hydrolysis iron 2 complex 331
inversion cadmium EDTA NMR 357
iron 2 thiazine complex 339
oxidn cobalt carbonyl peroxide 265
oxidn cobaltate aqua nitrilotriacetato periodate 439
oxidn glycolic acid chloroiridate 416
oxidn iodide copper imine oxime 31
protonation cobalt amine NMR 224
racemization ferroin aq DMSO 347
substitution cobalt 3 porphyrin 270
Lanthanide
fluorodiketonato magnetism electronic spectra 423
Lead
Schiff aminoanisyloxadiazole hydroxyacetophenone 8
Ligand
Group VA rhodium iridium 83
Lutidyl
methyl ketone transition metal 23
Magnesium
EDTA heterobimetallic polymetallic 184
Magnetic
susceptibility copper semicarbazone 112
Magnetism
dichromate cyano bridge diamine 407
lanthanide fluorodiketonato 423
3d aluminum isopropoxide 148
Maleato
iron prepn thermal decompn 73
Manganese
aluminum isopropoxide magnetism spectra 148
bisphenylsulfinylethane 158
carbonyl oxidn benzoyl peroxide 265

EDTA heterobimetallic polymetallic 184
hydrido silyl stability 161
phosphonyl carbonyl 325
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
uracil complex 46
Mass
spectra rare earth diketone 433
Mechanism
anation pentaammineaquacobalt phosphite 395
aqua nitrilotriacetato cobaltate oxidn periodate 439
deaquation cobalt ammine aqua azide 68
iodide oxidn copper imine oxime 31
oxidn glycolic acid chloroiridate 416
Mercaptoalkylamine
cobalt 342
Mercaptobenzothiazole
cobalt nickel zinc 139
Mercaptopiperidine
iron 355
nickel group 345
Mercaptopropylamine
nickel carbon disulfide insertion 255
Mercury
platinum complex prepn NMR 208
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Metal
bisphenylsulfinylethane 158
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Schiff salicylaldehyde diaminodiphenylmethane 280
Methanol
aq anion transfer potential 234
aq soly cobalt complex 193
aq soly iron group chloride 3
iron complex transfer potential 306
Methyl
selenide pentafluorothiophenolato rhodium reac= tion 284
Methylacylphenol
copper complex EPR 454
Methylaminophenylcarbene
carbonyl tungsten structure NMR 43
Methylbenzoylphenol
copper complex EPR 454
Methylcarboxydiazenido
hydrazido dithiocarbamato molybdenum structure 39
Methylmercury
Tippers compd 293
Methylphenylketimine
Schiff molybdenum carbonyl 478
Moessbauer
iron acetylacetonato oxidized 211
Mol
structure ferrocene molybdenum complex 482
structure molybdenum methylcarboxydiazenido hydrazido dithiocartamato 39
structure pentafluorothiophenolato rhodium complex 284
structure tungsten carbene carbonyl 43
Molybdate
chloro aquation kinetics 260
hexabromodi 447
hydrido cyano complex 40
tartaric acid complex 62
Molybdenum
benzoylhydrazonato ferrocenealdehyde complex 482
carbonyl Schiff base 478
methylcarboxydiazenido hydrazido dithiocarbam= ato structure 39
oxo halo morpholinodithiocarboxylato 382
oxo isothiocyanato dithiocarbamato 290
oxo tartaric acid 81
zero valent complex substitution 163
Morpholinodithiocarboxylato
molybdenum oxo halo 382
Nickel
aluminum isopropoxide magnetism spectra 148
bipyridyl solvent effect reactivity 3
bisphenylsulfinylethane 158
chloro glycine complex 268
chlorophenyldithiocarbamate prepn thermolysis 250
copper citrate complex thermodn 385
cyano chromium ethylenediamine complex 287
diacetyl benzoylhydrazone oxime 243
diamine diethylenetriamine cyclopentadithiocarb= oxylate deriv 152
EDTA heterobimetallic polymetallic 184
furan thiophene azooximato 18
group mercaptopiperidine acido 345
halo thiadiazole deriv 457
ketone complex 23
mercaptobenzothiazole 139
mercaptopropylamine carbon disulfide insertion 255
oxadiazacyclononane thiadiazacyclononane 367
picolylbenzoxazole picolylbenzothiazole picolyl= benzimidazole 351
pyrazolylmethane pyrazolylpropane 91
pyruvato semicarbazone thiosemicarbzone 1
Schiff aminoalkylaminocyclopentenedithiocarbox= ylate 247
Schiff aminoanisyloxadiazole hydroxyacetophe= none 8
Schiff aminophenylbenzimidazole benzaldehyde 318
Schiff base coordination site electrochem 176
Schiff base phenylethylamine 48
Schiff dehydroacetic acid 390
Schiff picolylphenylketone dithiocarbazate 372
Schiff salicylaldehyde diaminodiphenylmethane 280
thiocyanate prepn complexation 135
uracil complex 46
Niobium
benzoyl hydrazone ethoxo 379
chloro tertiary phosphine 130
Nitrate
transfer potential aq methanol 234
Nitrene
salicylaldehyde phosphine rhenium 299
Nitrile
cyclotrimerization diyne cobalt 360
Nitrilotriacetato
aqua cobaltate oxidn periodate kinetics 439
Nitrite
deaquation cobalt ammine aqua kinetics 68
Nitrogen
base copper semicarbazone 112
niobium chloro tritertbutylphosphine 130
Nitrosyl
chromate cyano bridge diamine 407
cyano iron heterodinuclear 57
rhenate cyano prepn 281
Nitrosylation
molybdenum carbonyl Schiff 478
redn perrhenate 281
NMR
cadmium EDTA inversion kinetics 357
methylaminophenylcarbene carbonyl tungsten structure 43
phosphorus platinum mercury complex 208
UV IR cobalt amine 224
Norbornadiene
rhodium complex catalyst 155
Order
EDTA heterobimetallic polymetallic 184
Oxadiazacyclononane
transition metal 367
Oxidative
addn benzoquinone deriv rhodium 54
Oxide
phosphine arsine tertiary iron ESR 119
Oxidn
cobalt carbonyl peroxide kinetics 265
cobaltate aqua nitrilotriacetato periodate kinetics 439
electrochem rhenium carbonyl phosphine 315
glycolic acid chloroiridate kinetics mechanism 416
iodide copper imine oxime kinetics 31
Oxime
benzoylhydrazone diacetyl transition metal 243
imine copper oxidn iodide kinetics 31
Oxo
chloro iron dinuclear anion 205
Palladium
alkylphenothiazine 197
aminobenzylamine halo 77
aminopyridine 52
aminopyridine thermolysis 52
benzalazine reaction phosphine 203
benzamide deriv complex 103
chlorophenyldithiocarbamate prepn thermolysis 250
cyano chromium ethylenediamine complex 287
diamine diethylenetriamine cyclopentenedithio= carboxylate deriv 152
dicyclopentyldithiooxamide 213
hydrolysis 2 aq chloride 173
ketone complex 23
mercaptopiperidine 345
perfluorophenyl complex 277
Schiff aminoalkylaminocyclopentenedithiocarbox= ylate 247
Schiff dehydroacetic acid 390
Perchlorate
iron complex transfer potential 306
Perfluorophenyl
palladium platinum complex 277
Periodate
oxidn cobaltate aqua nitrilotriacetato kinetics 439
Peroxide
cobalt carbonyl kinetics oxidn 265
Perrhenate
redn nitrosylation 281
Persulfate
transfer potential aq methanol 234
Phenanthrolinedisulfonate
ferrous hydrolysis kinetics 331
Phenathroline
cobalt halo 220
Phenolate
ferric complex DMSO 294
Phenothiazine
alkyl deriv palladium 197
Phenylethylamine
Schiff base transition metal 48
Phenylisocyanation
rare earth diketonate 449
Phosphine
nitrene salicylaldehyde rhenium 299
oxide cobalt halo stereochem 220
pentafluorothiophenalato rhodium reaction 284
reaction benzalazine dimetalated 203
rhodium complex hydrogenation catalyst 155
tertiary niobium tantalum chloro 130
tertiary oxide iron ESR 119
tertiary rhenium carbonyl voltammetry 315
Phosphinomethane
oxide iron 330
Phosphinothioyldiethylthiourea
titanium vanadium 96
Phosphite
deaquation cobalt aqua ammine kinetics 395
Phosphonyl
carbonyl manganese rhenium 325
Phosphorothionyl
disulfide titanium vanadium 96
Phosphorus
NMR platinum mercury complex 208
Photochem
silylation cyclopentadienylmanganese 161
Picolinamine
oxide butyl copper 412
Picolinato
thorium 29
Picolyl
methyl ketone semicarbazone copper 112
methyl ketone transition metal 23
phenyl methyl ketoxime platinum 327
Picolylbenzimidazole
chloro copper 362
cobalt nickel 351
Picolylbenzothiazole
chloro copper 362
cobalt nickel 351
Picolylbenzoxazole
chloro copper 362
cobalt nickel 351
Picolylphenylketone
dithiocarbazate Schiff copper nickel 372
Piperidine
mercapto iron 355
mercapto nickel group 345
Platinacyclobutane
acid const 293
Platinum
aminobenzylamine halo 77
chlorophenyldithiocarbamate prepn thermolysis 250
cyano chromium ethylenediamine complex 287
mercaptopiperidine 345
mercury complex prepn NMR 208
perfluorophenyl complex 277
picolyl phenyl methyl ketoxime 327
Porphyrin
cobalt 3 substitution kinetics 270
Potential
redox transition metal 176
Propanol
redn acetophenone cyclohexene catalyst 106
Propylenediamine
chromium fluoro 469
Protonation
kinetics cobalt amine NMR 224
Pyrazine
iron acetylacetonato 211
Pyrazolylmethane
nickel 91
Pyrazolylpropane
deriv copper 181
nickel 91
Pyridine
deriv halo cobalt 220
pentafluorothiophenolato rhodium reaction 284
substitution cobalt porphyrin 270
Pyridinecarboxylato
thorium 29
Pyridylethane
iron acetylacetonato 211
Pyridylethylamine
deriv copper chloro binuclear 405
Pyridylethylene
iron acetylacetonato 211
Pyruvato
semicarbazone thiosemicarbzone cobalt nickel 1
Quaternary
ammonium halide extn iron 199
Quinaldinato
thorium 29
Quinolinecarboxylato
thorium 29
Quinolylbenzoxazole
chloro cobalt nickel 351
chloro copper 362
Racemization
ferroin aq DMSO kinetics 347
Rare
earth diketonate bromination phenylisocyanation 449
earth diketone mass spectra 433
Reactivity
nickel bipyridyl solvent effect 3
Redn
electrochem rhenium carbonyl phosphine 315
nitrosylation perrhenate 281
propanol acetophenone cyclohexene catalyst 106
Redox
electrochem hexabromodimolybdate 447
potential transition metal Schiff 176
Reflectance
3d aluminum isopropoxide 148
Review
transition metal chem 443
Rhenate
nitrosyl cyano prepn 281
Rhenium
carbonyl phosphine complex voltammetry 315
nitrene salicylaldehyde phosphine structure 299
phosphonyl carbonyl 325
Rhodium
anthranilato hydrogenation catalyst 109
bromobenzoquinone carbonyl halo triphenylphos= phine 54
carbonyl triphenylphosphine 237
diene cation complex 83
diolefin arene complex 312

imidazole deriv complex 88
phosphine complex hydrogenation catalyst 155
Schiff base hydrogen transfer 106
thiocarbamate ethyl halo 419
thiophenolato complex crystal structure 284
alicylaldehyde
diaminodiphenylmethane Schiff metal 280
nitrene phosphine rhenium 299
phenylethylamine Schiff metal 48
valine Schiff europium 335
alicylate
anation cobalt ammine aqua kinetics 68
alicylideneimine
Schiff molybdenum carbonyl 478
alt
effect aquation kinetics 322
chiff
aminoalkylaminocyclopentenedithiocarboxylate transition metal 247
aminoanisyloxadiazole hydroxyacetophenone metal 8
aminophenylbenzimidazole benzaldehyde copper nickel 318
base copper CD structure 121
base iron complex racemization 347
base iron transfer potential 306
base molybdenum carbonyl 478
base phenylethylamine transition metal 48
base rhodium hydrogen transfer 106
base transition metal electrochem 176
dehydroacetic acid transition metal 390
picolylphenylketone benzyl carbazate metal 372
salicylaldehyde diaminodiphenylmethane metal 280
salicylaldehyde valine europium 335
emicarbazone
isobutyl methyl ketone copper 401
pyruvato cobalt nickel 1
ilyl
hydrido manganese stability 161
ilylation
photochem cyclopentadienylmanganese 161
oln
heat iron group chloride hydrate 3
olvate
trichloroacetate ferrocene 12
trichloroacetate ferrocene correction 202
olvent
aqua nitrilotriacetato cobaltate oxidn periodate 439
effect aquation kinetics 322
effect reactivity nickel bipyridyl 3
oly
cobalt chromium complex 193
cobalt 3 complex salt 234
pin
coupling copper semicarbazone 112
tability
const acenaphthenequinone thiosemicarbazone chelate 473
tereochem
cobalt halo pyridine deriv 220
tructure
chromium ethylenediamine fluoro 469
copper bispyridylethylamine chloro 405
copper bisthioimidazoleethylamine imidazole 404
copper Schiff base CD 121
crystal chloromolybdate complex 260
cuprous cinnamonitrile halo 461
erbium benzoylfluoroacetonato aqua 423
gold chloro imidazolidinethione 398
iron heterodinuclear cyano nitrosyl 57
iron phosphine arsine oxide chloride 119
molybdenum methylcarboxydiazenido hydrazido dithiocarbamato 39
niobium chloro tricyclohexylphosphine 130
palladium dicyclopentyldithiooxamide 213
rhenium nitrene salicylaldehyde phosphine 299
rhodium ethyl thiocarbamate 419
technetium oxo dimercaptosuccinate dimethyl 127
tungsten carbene carbonyl 43
Substitution
kinetics cobalt 3 porphyrin 270
kinetics ferrous diimine complex 163
Sulfide
organo rhodium carbonyl triphenylphosphine 237
Sulfinylethane
metal 158
Sulfur
donor rhodium iridium complex 83
Tantalum
benzoyl hydrazone ethoxo 379
chloro tertiary phosphine 130
Tartaric
acid molybdate complex 62
acid molybdenum tungsten oxo 81
Technetium
oxo dimercaptosuccinate dimethyl structure 127
Terpyridyl
copper EPR 308
Tetrachloromethane
ferrocene complex electronic spectrum 303
Tetranitromethane
ferrocene complex electronic spectrum 303
Thermodn
acenaphthenequinone thosemicarbazone chelate 473
copper nickel citrate complex 385
Thermolysis
molybdenum oxo halo morpholinodithiocarboxylato 382
Thiadiazacyclononane
transition metal 367
Thiadiazole
halo copper 190
halo deriv cobalt nickel 457
Thiazine
iron 2 complex kinetics 339
Thiobenzamide
Group IIB halo 273
Thiocarbamate
ethyl halo rhodium 419
Thiocyanate
iron complex transfer potential 306
nickel prepn complexation 135
substitution cobalt porphyrin 270
transfer potential aq methanol 234
Thioimidazoleethylamine
copper imidazole 404
Thiophene
azooximato transistion metal 18
rhodium carbonyl triphenylphosphine 237
Thiophenolato
rhodium complex crystal structure 284
Thiophosphoryl
contg ligand titanium vanadium 96
Thiosemicarbazone
acenaphthenequinone chelate stability const 473
pyruvato cobalt nickel 1
Thiosulfate
transfer potential aq methanol 234
Thorium
pyridinecarboxylato quinolinecarboxylato 29
Tippers
compd methylmercury acid const 293
Titanium
chloro glycine complex 268
furylacrylato isopropoxo butoxo 35
thiophosphoryl contg ligand 96
Titanocene
chloro acetonitrile tetrachloroferrate complex 337
Transfer
chem potential anion 234
chem potential aq methanol 193
chem potential ferrous complex 306
Transition
metal acetoacetanilidediaminopropane 117
metal azooximato furan thiophene 18
metal benzointhiocarbohydrazide 476
metal chem review 443
metal chloro glycine complex 268
metal chlorophenyldithiocarbamato 250
metal cyano force const 123
metal diacetyl benzoylhydrazone oxime 243
metal diacetyldihydrazone diacetylbismethylhydrazone 144
metal oxadiazacyclononane thiadiazacyclononane 367
metal phenylethylamine Schiff base 48
metal Schiff aminoalkylaminocyclopentenedithiocarboxylate 247
metal Schiff base electrochem 176
metal Schiff dehydroacetic acid 390
metal uracil complex 46
Trichloroacetate
solvate ferrocene 12
solvate ferrocene correction 202
Triethylamine
nickel thiocyanate 135
Trimethylene
sulfide rhodium carbonyl triphenylphosphine 237
Trimethylenebipyridine
iron acetylacetonato 211
Triphenylarsine
oxide nickel thiocyanate 135
Triphenylphosphine
iridium rhodium carbonyl 237
oxide nickel thiocyanate 135
rhodium bromobenzoquinone carbonyl halo 54
Tungsten
carbene carbonyl structure 43
oxo tartaric acid 81
Uracil
transition metal 46
Uranyl
diacetyl benzoylhydrazone oxime 243
Schiff base coordination site electrochem 176
UV
IR NMR cobalt amine 224
Valine
salicylaldehyde Schiff europium 335
Vanadium
chloro glycine complex 268
thiophosphoryl contg ligand 96
Vibrational
spectra palladium dicyclopentyldithiooxamide 213
Voltammetry
copper histidine mixed complex 377
rhenium carbonyl phosphine complex 315
X
ray diffraction iron phosphine oxide 119
Xanthato
carbonyl iron 10
Yttrium
fluorodiketonato 423
Zinc
acetoacetanilidediaminopropane 117
benzointhiocarbohydrazide 476
bisphenylsulfinylethane 158
EDTA heterobimetallic polymetallic 184
mercaptobenzothiazole 139
Schiff aminoanisyloxadiazole hydroxyacetophenone 8
Schiff salicylaldehyde diaminodiphenylmethane 280